
Covid-19 PPE Range



36 Glenburn Rd, East Kilbride, Glasgow G74 5BA, United Kingdom





www.corstonsinclair.com

HAND SANITIZERS

DESCRIPTION

- Antiseptic Gel
- 75% Alcohol
- Kills 99.99% Bacteria
- CE and EN certified

Packaging: Size Range - 60ML, 100ML, 250ML, 500ML, 1LTR & Bulk Packaging

Packaging Detail:

<u>Lead Time:</u> 500,000 Litres Per Week Ex Works





<u>CERTIFICATION</u>

CE / EN 1500 MSDS GMP







HAND SOAP

DESCRIPTION

- Kills 99.9% of bacteria within 5 minutes
- Non Antibacterial Options Available
- Safeguards against cross contamination
- Unperfumed (Frangrance options available)
- Free from solvents, harsh chemicals, perfumes and dyes

Packaging: Size Range - 60ML, 100ML, 250ML, 500ML, 1LTR & Bulk Packaging / Available in various sizes

Packaging Detail:

Lead Time: 500,000 Litres Per Week Ex Works

CERTIFICATION

CE / BSEN 1276

MSDS

GMP











HAND WIPES

DESCRIPTION

- Hand Wipes
- Non-woven, 50gsm, 30% plant fiber, 70% pp
- Size:18.5*14cm
- 40pcs per bag
- Plastic Lid
- 75% alcohol disinfectant & Antibacterial
- Disinfecting Wipes (Non alcohol, main ingredients: Benzalkonium chloride)
- Materials: Non-woven fabric; pear embossed
- Size: 15*18 cm, 10 pcs per bag
- Packing: 200 bags/carton
 Aluminized film packing
 10 pcs pocket packs also available
- Carton size: 44*38*28cmWeight: 16KG/Carton



CERTIFICATION





SURGICAL MASK

DESCRIPTION

- Type (Type IIR also available): ear-loop/tie on
- Color: blue, white, green, purple
- Width: 9.5 cm(+/-0.5cm)
- Length: 17.5 cm(+/-0.5cm)
- Air permeability (mmH2O/cm2): Delta P between 2 – 5
- Package: 50 pcs/box,40 boxes/carton
- Storage: 5 years from production date, keeping dry, cool and keep away from sunlight and direct heat
- Moderate Fluid Resistance 120mm Hg
- Bacterial filtration efficiency (BFE): ≥98 %
- Certificate: ISO 13485:2016
- No natural rubber latex
- Designed to be fluid resistant to splash and spatter of blood and other infectious materials, intended to reduce wearer exposure to airborne particles provides 95% filtration efficiency of at least 0.3 micron particles in a size 99% Bacterial Filtration Efficiency (BFE)



CERTIFICATION

BFE & DP Test Report Standard: EN14683 / YY 0469-2011





Colour Options:





FACE MASK

DESCRIPTION

- TYPF FFP2
- Material: non-woven filter layer
- Filtration level: > 95 % for particles from 0.1 to 0.3 micron
- Air permeability: > 2 mm H2O
- Shape of the mask: duckbill, folded (horizontal) width-wise
- Without valve
- Fits all face shapes, without inspiration/ expiration air-leakage
- Upper edge has integrated easy malleable nose bridge strip reducing fogging of protective eye-wear
- Pre-attached elasticated straps
- Colour: white
- Non-sterile
- Single use, disposable









FACE MASK

DESCRIPTION

- TYPF FFP3
- Material: non-woven filter layer
- Filtration level: > 95 % for particles from 0.1 to 0.3 micron
- Air permeability: > 2 mm H2O
- Shape of the mask: duckbill, folded (horizontal) width-wise
- Without valve
- Respirator mask fits all face shapes, without inspiration/expiration air-leakage
- Upper edge has integrated easy malleable nose bridge strip reducing fogging of protective eye-wear
- Pre-attached elasticated straps
- Colour: white
- Non-sterile
- Single use, disposable









FACE MASK

DESCRIPTION

- N95 Mask
- DUCK SHAPE
- NIOSH-approved
- FDA Approved
- EN14683 approced

CERTIFICATION









SAFETY GOGGLES

DESCRIPTION

- Designed to be worn in a tough work environment
- Flexible PVC frame for ultra comfort
- Transparent color for better side visibility
- Indirect ventilation
- Antifog
- Product Material: Polycarbonate
- PROTECTIVE AGAINST BLOOD AND FLUIDS
- SHOULD FIT OVER AND AROUND EYES

<u>CERTIFICATION</u>

CE CERTIFIED TO EN 166:2001















FACE SHIELD

DESCRIPTION

- Distortion-Free
- The head frame(holds shield away from face,no pressure on temples)
- Protects face from spattering
- Anti-fog treatment on inside and outside of shield
- Elastic band can be adjuster
- Function: Anti fog, dustproof and splash proof
- Material: (0.25 + 0.02) mmPET
- Size: 32*22cm
- Hading degree: Full transparency
- Weigth: (39 + 2) g
- Ctn details: 200pcs/ctn,70*36*42cm, 8.7kg/9.2kg





ROHS EN149/ CE EN166 / FDA







DISPOSABLE GOWN

DESCRIPTION

- Isolation Coat
- Prevent Splash
- Antistatic
- Dustpproof
- Isolate Virus
- Fabra Softness
- Disposable Use
- Professional Testing
- Independent Packaging
- Material: 40/60 g Non-woven fabric
- Case Pack: 1 piece per polybag / 60 pieces in carton
- Size: Universal Size (Clothing length -115 cm) (Bust 135 cm)







ROHS EN149/ CE EN166 / FDA






BOOT COVERS

DESCRIPTION

- Knee-high coverage
- Breathable
- Fluid-resistant material
- Coated polypropylene below ankle for maximum fluid protection
- Heat-sealed seams reduce chance of fluid penetration





CERTIFICATION









Thank You...



CORSTON SINCLAIR LTD.

36 Glenburn Rd, East Kilbride, Glasgow G74 5BA, United Kingdom



